

## **IN THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

1. (currently amended) A computer-implemented method comprising:
  - (a) entering a first input numeric value in a first field on a display screen, wherein the first field comprises an intersection of a first column and a first row, wherein the first field is editable, wherein the first field has input focus, and wherein the input focus designates a focus field which receives character input from a user;
  - (b) determining a first output numeric value based on the first input numeric value;
  - (c) displaying the first output numeric value in ~~[[a]]~~ the first field on a display screen, wherein the first field comprises an intersection of a first column and a first row;
  - (d) entering a mathematical operator;
  - (e) automatically switching the input focus to a second field in response to the entering the mathematical operator, wherein the second field is displayed in a second row below the first field on the display screen, and wherein the second field is editable;
  - (f) entering a second input numeric value;
  - (g) determining a second output numeric value based on the second input numeric value;
  - (h) displaying the second output numeric value in the second field on the display screen;
  - (i) repeating steps (c) through (h) until all input numeric values and mathematical operators in a desired calculation have been received into the memory;
  - (j) automatically calculating a result of the input numeric values and mathematical operators entered in steps (a) through (i); and
  - (k) automatically displaying the result at a field on the display screen in the first column below the output numeric values and mathematical operators.

2. (currently amended) The computer-implemented method of claim 1, further comprising:

automatically inserting the second field in response to the entering the mathematical operator, wherein the second field comprises an intersection of the first column and [[a]] the second row below the first field, and wherein the second field is initially displayed as empty.

3. (previously presented) The computer-implemented method of claim 1, further comprising:

(l) modifying one or more of the input numeric values or mathematical operators in its location on the display screen; and

(m) automatically recalculating and redisplaying the result of the input numeric values and mathematical operators as modified.

4. (previously presented) The computer-implemented method of claim 1, wherein at least one of the output numeric values is substantially identical in form to the corresponding input numeric value.

5. (previously presented) The computer-implemented method of claim 1, wherein step (c) is performed substantially simultaneously with step (a).

6. (previously presented) The computer-implemented method of claim 1, wherein step (h) is performed substantially simultaneously with step (f).

7. (previously presented) The computer-implemented method of claim 1, further comprising:

performing steps (a) through (k) again in a second column on the display screen, wherein the second column comprises a plurality of number fields displayed vertically and a plurality of operation fields displayed vertically.

8. (currently amended) A system comprising:

a CPU;  
a display screen coupled to the CPU;  
a memory coupled to the CPU, wherein the memory stores program instructions which are executable by the CPU to:

- (a) receive into the memory a first input numeric value;
- (b) determine a first output numeric value based on the first input numeric value;
- (c) display the first output numeric value in a first field on the display screen, wherein the first field comprises an intersection of a first column and a first row, wherein the first field is editable, wherein the first field has input focus, and wherein the input focus designates a focus field which receives character input from a user;
- (d) receive into the memory a mathematical operator;
- (e) automatically switch the input focus to a second field in response to the receiving into the memory the mathematical operator, wherein the second field is displayed below the first field on the display screen, and wherein the second field is editable;
- (f) receive into the memory a second input numeric value;
- (g) determine a second output numeric value based on the second input numeric value;
- (h) display the second output numeric value in the second field on the display screen;
- (i) repeat steps (c) through (h) until all input numeric values and mathematical operators in a desired calculation have been received into the memory;
- (j) automatically calculate a result of the input numeric values and mathematical operators entered in steps (a) through (i); and
- (k) automatically display the result at a field on the display screen in the first column below the output numeric values and mathematical operators.

9. (original) The system of claim 8, wherein the program instructions are further executable by the CPU to:

automatically insert the second field in response to the receiving into memory the mathematical operator, wherein the second field comprises an intersection of the first column and a second row below the first field, and wherein the second field is initially displayed as empty.

10. (original) The system of claim 8, wherein the program instructions are further executable by the CPU to:

(l) modify one or more of the input numeric values or mathematical operators in its location on the display screen; and

(m) automatically recalculate and redisplay the result of the input numeric values and mathematical operators as modified.

11. (original) The system of claim 8,  
wherein at least one of the output numeric values is substantially identical in form to the corresponding input numeric value.

12. (original) The system of claim 8,  
wherein step (c) is performed substantially simultaneously with step (a).

13. (original) The system of claim 8,  
wherein step (h) is performed substantially simultaneously with step (f).

14. (original) The system of claim 8, wherein the program instructions are further executable by the CPU to:

perform steps (a) through (k) again in a second column on the display screen, wherein the second column comprises a plurality of number fields displayed vertically and a plurality of operation fields displayed vertically.

15. (currently amended) A carrier medium comprising program instructions, wherein the program instructions are executable by a computer to implement:

(a) receiving into a memory a first input numeric value;

(b) determining a first output numeric value based on the first input numeric value;

(c) displaying the first output numeric value in a first field on a display screen, wherein the first field comprises an intersection of a first column and a first row, wherein the first field is editable, wherein the first field has input focus, and wherein the input focus designates a focus field which receives character input from a user;

(d) receiving into the memory a mathematical operator;

(e) automatically switching the input focus to a second field in response to the receiving into the memory the mathematical operator, wherein the second field is displayed below the first field on the display screen, and wherein the second field is editable;

(f) receiving into the memory a second input numeric value;

(g) determining a second output numeric value based on the second input numeric value;

(h) displaying the second output numeric value in the second field on the display screen;

(i) repeating steps (c) through (h) until all input numeric values and mathematical operators in a desired calculation have been received into the memory;

(j) automatically calculating a result of the input numeric values and mathematical operators entered in steps (a) through (i); and

(k) automatically displaying the result at a field on the display screen in the first column below the output numeric values and mathematical operators.

16. (original) The carrier medium of claim 15, wherein the program instructions are further executable by the computer to implement:

automatically inserting the second field in response to the receiving into memory the mathematical operator, wherein the second field comprises an intersection of the first column and a second row below the first field, and wherein the second field is initially displayed as empty.

17. (original) The carrier medium of claim 15, wherein the program instructions are further executable by the computer to implement:

(l) modifying one or more of the input numeric values or mathematical operators in its location on the display screen; and

(m) automatically recalculating and redisplaying the result of the input numeric values and mathematical operators as modified.

18. (original) The carrier medium of claim 15,  
wherein at least one of the output numeric values is substantially identical in form to the corresponding input numeric value.

19. (original) The carrier medium of claim 15,  
wherein step (c) is performed substantially simultaneously with step (a).

20. (original) The carrier medium of claim 15,  
wherein step (h) is performed substantially simultaneously with step (f).

21. (original) The carrier medium of claim 15, wherein the program instructions are further executable by the computer to implement:

performing steps (a) through (k) again in a second column on the display screen, wherein the second column comprises a plurality of number fields displayed vertically and a plurality of operation fields displayed vertically.

22. (new) A computer-implemented method comprising:

entering a first numeric value in a first field, wherein the first field is editable, wherein the first field has input focus, and wherein the input focus designates a focus field which receives character input from a user;

entering a mathematical operator;

automatically switching the input focus to a second field in response to the entering the mathematical operator, wherein the second field is displayed below the first field on a display screen, and wherein the second field is editable;

entering a second numeric value in the second field;  
entering an equality operator;  
automatically calculating a result of the first numeric value, the mathematical operator, and the second numeric value in response to the entering the equality operator;  
and  
displaying the result in a result field on the display screen.

23. (new) The computer-implemented method of claim 22, further comprising:  
entering alphabetical character input;  
automatically switching the input focus to a comment field in response to the entering the alphabetical character input; and  
displaying the alphabetical character input in the comment field.

24. (new) A computer-implemented method comprising:  
entering a first numeric value in a first numeric field, wherein the first numeric field is displayed on a display screen at an intersection of a first column and a first row, wherein the first numeric field has input focus, and wherein the input focus designates a focus field which receives character input from a user;  
entering a mathematical operator in a first operator field, wherein the first operator field is displayed in a second column;  
automatically switching the input focus to a second numeric field in response to the entering the mathematical operator, wherein the second numeric field is displayed below the first numeric field at an intersection of the first column and a second row;  
entering a second numeric value in the second numeric field;  
entering an equality operator in a second operator field, wherein the second operator field is displayed below the first operator field in the second column;  
automatically calculating a result of the first numeric value, the mathematical operator, and the second numeric value in response to the entering the equality operator;  
and  
displaying the result in a result field on the display screen.